ipd4100mdimgsvdTES-10

# **Defense Information Infrastructure (DII)**

# **Common Operating Environment (COE)**

Software Version Description (SVD) for the METOC Imagery Database Segment (MDIMG) of the Tactical Environmental Support System (Next Century) [TESS(NC)]

Meteorological and Oceanographic (METOC) Database

**Preliminary Release** 

**Document Version 4.1** 

8 July 1998

**Prepared for:** 

Naval Research Laboratory Marine Meteorology Division Monterey, CA

Prepared by:
Integrated Performance Decisions, Inc.
Middletown, RI

ipd4100mdimgsvdTES-10

# **Table of Contents**

1	SCOPE	. 1
1.1	Identification	. 1
1.2	System Overview	. 1
1.3	Product Information	. 4
1.3.1	Product Qualification	. 4
1.3.2	Product Restrictions	. 4
1.3.3	Product Dependencies	. 4
2	REFERENCED DOCUMENTS	.5
2.1	Government Documents	
2.2	Non-Government Documents	
3	VERSION DESCRIPTION	6
3.1	Inventory of materials released	
3.2	Inventory of Software Contents	
3.3	Changes Installed	
3.4	Waivers	
3.5	Adaptation Data	
3.6	Installation Instructions	
3.7	Possible Problems and Known Errors	. 6
4	NOTES	.7
4.1	Glossary of Acronyms	
Appei	ndix A - List of Executables and Environment FilesA	-1
Appei	ndix B - Changes/Updates Since Preliminary ReleaseB	-1
Appei	ndix C - Known Problems and ErrorsC	-1
	List of Figures	
1-1	TESS(NC) METOC Database Conceptual Organization	2
1-1	1 ESS(INC) IVIE I OC Datadase Conceptual Ofganization	. J

#### 1 SCOPE

#### 1.1 Identification

This Software Version Description (SVD) describes the Imagery Database Segment (MDIMG), Version 4.1, of the Tactical Environmental Support System Next Century [TESS(NC)] Meteorological and Oceanographic (METOC) Database. The MDIMG segment provides a database for the storage and retrieval of Imagery Products. This software is designed to run under the Defense Information Infrastructure (DII) Common Operating Environment (COE), release 3.1, on a Hewlett-Packard computer running HP-UX 10.20 or a personal computer running the Microsoft Windows NT 4.0 operating system with Service Pack 3.

### 1.2 System Overview

The APIs described in this document form a portion of the METOC Database component of the TESS(NC) Program (Navy Integrated Tactical Environmental Subsystem (NITES) Version I). On 29 October 1996, the Oceanographer of the Navy issued a TESS Program Policy statement in letter 3140 Serial 961/6U570953, modifying the Program by calling for five seamless software versions which are DII COE compliant, preferably to level 5.

The five versions are:

•	NITES Version I	The	local	data	fusion	center	and	principal	METOC	analysis	and
		forec	ast sy	stem	(TESS(	NC))					

- NITES Version II The subsystem on the Joint Maritime Command Information System (JMCIS) or Global Command and Control System (GCCS) (NITES/Joint METOC Segment (JMS))
- NITES Version III The unclassified aviation forecast, briefing and display subsystem tailored to Naval METOC shore activities (currently satisfied by the Meteorological Integrated Data Display System (MIDDS))
- NITES Version IV The Portable subsystem composed of independent PCs/workstations and modules for forecaster, satellite, communications, and Integrated Command, Control, Communications, Computer, and Intelligence Surveillance Reconnaissance (IC4ISR) functions (currently the Interim Mobile Oceanographic Support System (IMOSS))

8 July 1998

ipd4100mdimgsvdTES-10

• NITES Version V Foreign Military Sales (currently satisfied by the Allied Environmental Support System (AESS))

NITES I acquires and assimilates various METOC data for use by US Navy and Marine Corps weather forecasters and tactical planners. NITES I provides these users METOC data, products, and applications necessary to support the warfighter in tactical operations and decision making. NITES I provides METOC data and products to NITES I and NITES II applications, as well as non-TESS(NC) systems requiring METOC data, in a heterogeneous networked computing environment.

The TESS(NC) Concept of Operations and system architecture require that the METOC Database be distributed both in terms of application access to METOC data and products and in terms of physical location of the data repositories. The organizational structure of the database is influenced by these requirements and the components of this distributed database are described below.

In accordance with DII COE database concepts, the METOC Database is composed of six DII COE compliant *shared database* segments. Associated with each shared database segment is an API segment. The segments are arranged by data type as follows:

<u>Data Type</u>	Data Segment	<b>API Segment</b>
Grid Fields	MDGRID	MAGRID
Latitude-Longitude-Time (LLT) Observations	MDLLT	MALLT
Textual Observations and Bulletins	MDTXT	MATXT
Remotely Sensed Data	MDREM	MAREM
Imagery	MDIMG	MAIMG
Climatology Data	MDCLIM	MACLIM

A typical client-server installation is depicted in Figure 1-1 on the next page. This shows the shared database segments residing on a DII COE SHADE database server, with a NITES I or II client machine hosting the API segments. Communication between API segments and shared database segments is accomplished over the network using ANSI-standard Structured Query Language (SQL).




Figure 1-1. TESS(NC) METOC Database Conceptual Organization

The database in the MDIMG segment deals with imagery products. Imagery products can be associated with a specific geographic point/area, as well as time. A number of different image formats are supported; they are NITF, MIF, GIF, TIFF, BMP, JPEG, XWD, XBM, PBM, MPEG, and Other.

#### 1.3 Product Information

#### 1.3.1 Product Qualification

Test and Evaluation (T&E) of the software were performed at IPD's Middletown, RI facility prior to delivery of the software.

#### 1.3.2 Product Restrictions

IPD's intellectual property rights to deliverables defined in this document are covered by the copyright license under the clause in DFARS 252.227-7013 (Nov. 1995).

#### 1.3.3 Product Dependencies

The MDIMG segment is hosted on the following hardware:

Tactical Advanced Computer, TAC-3 (HP 750/755)/TAC-4 (HP J210)

The operating system requirements are:

• TAC-3/TAC-4: HP-UX 10.20

The kernel requirements are:

• Kernel 3.0.1.0 with patches through P4

The following software must be properly installed prior to loading the MDIMG segment:

- Appropriate operating system (as described above),
- Appropriate DII COE Kernel (as described above),
- DII COE Informix Connect Segment (INFXCN), version 1.0.1.0

# 2 REFERENCED DOCUMENTS

### 2.1 Government Documents

Unnumbered Database Design Description for the Tactical Environmental Support 30 September 1997 System/Next Century [TESS(NC)] Meteorological and Oceanographic

(METOC) Database, Space and Naval Warfare Systems Command, Environmental Systems Program Office (SPAWAR PMW-185),

Washington, DC

Unnumbered Installation Procedures (IP) for the Imagery Database Segment 8 July 1998 (MDIMG) of the Tactical Environmental Support System Next

Century [TESS(NC)] Meteorological and Oceanographic (METOC)

Database

# 2.2 Non-Government Documents

None.

# 3 VERSION DESCRIPTION

# 3.1 Inventory of materials released

All physical media and associated documentation for the MDIMG segment are listed below.

- MDIMG Segment v4.1 (HP-UX) Installation Tape (4 mm DAT cartridge for TAC-3/TAC-4 hardware)
- MDIMG Segment v4.1 series Installation Procedures (IP), dated 8 July 1998
- MDIMG Segment v4.1 Software Version Description (SVD), dated 8 July 1998.

# 3.2 Inventory of Software Contents

A listing of all executables and environment files delivered is contained in Appendix A of this document.

# 3.3 Changes Installed

A listing of changes installed is contained in Appendix B of this document.

#### 3.4 Waivers

There are no waivers associated with this software.

# 3.5 Adaptation Data

There are no unique-to-site data contained in the MDIMG 4.1 release.

#### 3.6 Installation Instructions

The MDIMG Segment v4.1 series Installation Procedures (IP) referenced in Section 2 of this document provide comprehensive installation instructions for the MDIMG segment. The fully installed segment occupies approximately 120 K of disk space. The software requires a minimum of 128 MB of RAM, with 192 MB recommended.

# PRINTED COPY IS UNCONTROLLED AND MAY BE OBSOLETE ipd4100mdimgsvdTES-10

#### **3.7 Possible Problems and Known Errors**

Known problems and errors with MDIMG software are listed in Appendix C of this document.

7 8 July 1998

ipd4100mdimgsvdTES-10

# 4 Notes

# 4.1 Glossary of Acronyms

AESS Allied Environmental Support System

API Application Program Interface

APIRM API Reference Manual

COE Common Operating Environment

DBDD Database Design Description

DID Data Item Description

DII Defense Information Infrastructure

GCCS Global Command and Control System

IC4ISR Integrated Command, Control, Communications, Computer, and Intelligence

Surveillance Reconnaissance

IMOSS Interim Mobil Oceanographic Support System

JMCIS Joint Maritime Command Information System

JMS Joint METOC Segment

MAIMG Imagery API Segment of the TESS(NC) METOC Database

MDIMG Imagery Database Segment of the TESS(NC) METOC Database

METOC Meteorological and Oceanographic

MIDDS Meteorological Integrated Data Display System

NC Next Century

PS Performance Specification

SRS Software Requirements Specification

TESS Tactical Environmental Support System

8 July 1998

ipd4100mdimgsvdTES-10

# Appendix A - List of Executables and Environment Files

# A.1 File Structure for HP-UX Delivery

/h/MDIMG: total 12 drwxr-xr-x drwxr-xr-x drwxr-xr-x drwxrwxr-x drwxr-xr-x	2 3 2 2	sysadmin sysadmin sysadmin sysadmin sysadmin	COE COE COE COE COE	1024 1024 1024 1024 1024 1024	Jul Jul Jul Jul	6 6 6	14:25 14:25	bin install
CIWAL AL A		370	COH	1021	oui	O	17.17	редреветтр
/h/MDIMG/data total 20 -rrr- -rrr- -rrr	1 1 1	sysadmin sysadmin sysadmin sysadmin sysadmin	COE COE COE COE	233		3 3 3	14:38 14:38 14:38	MDIMG_Channel.txt MDIMG_Satellite.txt MDIMG_Format.txt MDIMG_Sensor.txt MDIMG_Type.txt
-rrr		sysadmin	COE	1299				MDIMG_SubType.txt
/h/MDIMG/bin total 6 -r-xr-xr-x -r-xr-xr-x -r-xr-xr-x	1	sysadmin sysadmin sysadmin	COE COE COE	306	Jul Jul Jul	3	14:38	MDIMGCreateBlob MDIMGDropBlob MDIMGGetDBSize
/h/MDIMG/inst	ta:	11:						
-r-xr-xr-x -r-xr-xr-x drwxr-xr-x	1	sysadmin sysadmin sysadmin	COE COE COE	547 1519 1024		3		<pre>deinstall_mdimg install_mdimg sql</pre>
/h/MDIMG/Inte	eg	:						
-rw-rw-r	1	sysadmin	COE	729	Jul	3	14:41	VSOutput
/h/MDIMG/Scr: total 0	ip	ts						
/h/MDIMG/SegI total 22	Des	scrip:						
-rw-rr		576	COE		Jul			ReleaseNotes
-rw-rr		576	COE		Jul			VERSION
-rw-rr		576	COE		Jul			SegName
-rwxr-xr-x		576	COE		Jul			DEINSTALL
-rwxr-xr-x		576 576	COE	1963				PostInstall
-rw-rw-r		576 576	COE	1332				FileAttribs
-rw-rr		576 root	COE COE		Jul Jul			SegInfo Validated
-rw-rw-rw- -rw-rw-rw-		root	other		Jul			Installed
T AA T AA T AA	_	1000	CIICI	110	Jui	U	11.20	1110001100
/h/MDIMG/inst	ta:	ll/sql:						
-rrr	1	sysadmin	COE	85	Jul	3	14:39	MDIMG_Channel.cmd

8 July 1998 A-1

ipd4100mdimgsvdTES-10

ts d ripts
ripts
s
ipts
s
pts
nf
nf
l 

8 July 1998 A-2

ipd4100mdimgsvdTES-10

# Appendix B - Changes/Updates Since Preliminary Release

This release made the following changes:

Pri	PTR#	Summary
1	109	Product Type MAIMG_OTHER does not appear to be properly represented in the MDIMG SubTypes table.
3	143	Change ordering of product type defines so that other satellites can be added without having to go through code changes.
3	145	Add product Type for DMSP composite images.

8 July 1998 B-1

ipd4100mdimgsvdTES-10

# **Appendix C - Known Problems and Errors**

Pri	PTR#	Summary
2	146	Extended blob spaces not removed on deinstall.

A detailed PTR is contained on the following page.

8 July 1998 C-1

ipd4100mdimgsvdTES-10

8 July 1998 C-2